Los Alamos National Laboratory is operated by the University of California for the United States Department of Energy under contract W-7405 ENG-36

TITLE MOSSBAUER SPECTROSCOPY AT PRESSURES UP TO 40 GPa

AUTHORIS: R. Dean Taylor, P-10/LANL
Moshe P. Pasternak, Tel Aviv Univ.

FIGH Pressure Research

Proceedings of the XXIX Meeting of the European High Pressure

Research Group (Gordon & Breach)

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

By grouplying of this group that the pytoster recognition the city appearment relaining a normal cycles orgaty free training to pytost or represented in The pytosteed from a City or or respectively to a storm of the city of the city operations by proper

Trailing Alam of the manifestation to request, that the path sheer don't being article as work port of educate the page was different. A Department of Energy



LOS Alamos National Laboratory
Los Alamos, New Mexico 87545

PARMANIA NA NA

DISTRIBUTION OF THIS DECLEMENTS UNLIMITE

MOSSBAUER SPECTROSCOPY AT PRESSURES UP TO 40 GPA

R. D. Taylor, P-10

LA-UR-91-

Moshe P Pasternak, P-10 Consultant/Tel Aviv University Contributed paper to be published in High Pressure Research Submitted: November 20, 1991

Mossbauer spectroscopy (MS) is a viable "non-contact" technique applicable to high-pressure, diamond anvil cells (DAC) with samples containing a wide variety of the elements suitable for MS.

The convenience and simplicity of diamond anvil cells as a means to obtain static high pressures even into the megabar regime has resulted in a renewed interest in pressure as a complement to the usual physical measurements. However, the required small sample size and the difficulty of communicating with the sample leave only x-ray and optical spectroscopy as the readily available Mossbauer spectroscopy which involves recoil-free, low-energy rays. provides a powerful additional technique to study a myriad of physical properties in a DAC. MS concerns a particular isotope and can provide local information on phase changes and hysteresis, isomer shifts, valence, bonding, magnetic and quadrupolar interactions, lattice dynamics, and multiple sites. The Mossbauer effect has been seen in about a hundred isotopic transitions in about forty different elements; many are suitable for DAC-MS use, most notably ⁵⁵Fe, ¹¹⁹Sn, ¹²¹Sb, ¹²⁵Te, ¹²⁹I, ¹⁴⁹Sn, ¹⁵¹Eu, ¹⁶¹Dy, ¹⁹⁵⁶Au, and ²⁴⁵Np. Since the information available from MS is obtained from analyzing the precise energy profile of the Mossbauer a ray from a source/absorber combination, no contacts or difficult coupling to the DAC are required. We review a number of salient features of the DAC-MS method and present some examples, including new work on Fel.

MÖSSBAUER SPECTROSCOPY AT PRESSURES UP TO 40 GPa R. Dean Taylor and Moshe P. Pasternak*, Physics Division, Los Alamos National Laboratory, Los Alamos, New Mexico 87545 USA

Mössbauer spectroscopy is shown to be a viable "non-contact" technique applicable to high-pressure, diamond-anvil cells with samples containing a wide variety of the elements.

Key words: Mössbauer Effect, high pressure, diamond anvil cells

INTRODUCTION

The convenience and simplicity of diamond anvil cells (DAC) as a means to obtain static high pressures even into the megabar regime has resulted in a renewed interest in pressure as a complement to the usual physical measurements. However, the required small sample size and the difficulty of communicating with it leave only x-ray and optical spectroscopy as the readily Mossbauer Spectroscopy (MS) which involves available tools. recoil-free, low-energy y rays affords a powerful additional technique to study a myriad of physical properties in a DAC. MS concerns a particular isotope and can provide local information on phase changes and hysteresis, isomer shifts, valence, bonding, magnetic and quadrupolar interactions, lattice dynamics, and multiple sites. The Mossbauer effect has been seen in about a hundred isotopic transitions in about forty different elements; many are suitable for DAC-MS use, most notably 57Fe, 119Sn, 121Sb, 125Te, 129I, 129Xe, 149Sm, 151Eu, 161Dy, 197Au, and 237Np. Since the information available from MS is obtained from analyzing the pracise energy profile of the Mossbauer y ray from a source/ absorber combination, no contacts or difficult coupling to the DAC Many aspects of MS in DAC have been presented are required. before? 5; we will review here a few salient features of DAC-MS and present some examples, including new work on FeI2

EXPERIMENTAL

Most of the MS to date has been carried out in modified Merrill-Bassett cells?; a miniature version of this type has also been used. Usually a Mossbauer absorber sample is placed in the DAC with ruby chips for ruby-fluorescence pressure measurements? and argon as a pressurizing medium. Pressurized radioactive source experiments have the appeal that the y rays are attenuated by only one diamond anvil, a consideration for the 14.4-keV x ray of 57Fe. For absorber experiments the gasket doubles as a collimator to block the bulk of the source beam not passing through the sample. Geometrical effects are important for efficient counting; a typical MS schematic is shown in Fig.1. The relative areas and the spacings of the source, the sample, and the detector affect the count rate and the magnitude of the Mossbauer resonance. For a few cases, e.g. 57Co, the Mossbauer parent (source) is available with a high enough specific activity to allow a near-point-source, close-by configuration and a significantly reduced nuisance background. A sample thickness optimized for MS often requires the use of enriched isotopes to overcome the deleterious effects of electronic absorption.




Figure 1. Schematic of MS-DAC: (1) Platens with three closure screws, (2) anvil backing plates, (3) high-Z material gasket, (4) diamond anvils, (5) MS source on Doppler driver rod, (6) enlarged view of gasket showing precompression and sample region, (7) ruby chips, and (8) MS absorber sample in pressurizing medium.

EXAMPLES

Epsilon Iron

Iron metal sluggishly transforms at room temperature from a bcc- to a hcp-phase, starting near 10 GPa. The hcp ϵ -F ϵ is not magnetic whereas the bcc α -Fe is; the well known six-line magnetic hyperfine Mossbauer spectrum of α -Fe is shown in the lowest part As the pressure is raised a single line near zero of Fig. 2. Doppler velocity appears due to nonmagnetic ε -Fe. Sy 23 GPa the α -Fe is gone. The transition is equally sluggish upon reducing the pressure, and a large hysteresis associated with pressure changes is observed? Both 57Co in Fe sources and 57Fe absorbers show the same behavior with pressure. A correlation has been suggested between a wide range of onset-completion pressures of the $\alpha \longleftrightarrow \epsilon$ transition and the nature of the pressurizing medium $used^{\Theta}$, but we note that the width of the hysteresis loop at equal concentrations of α - and ϵ -Fe is always 6.2 \pm 0.2 GPa⁷.




Figure 2. Mossbauer spectra at room temperature of Fe metal as a function (from bottom) of increasing, then decreasing pressure showing the $\alpha \leftrightarrow \epsilon$ bransition and a large pressure hysteresis.

Mott Transitions

We have reported $^{129}\mathrm{I}$ MS results on the pressure induced insulator-metal Mott transition in NiI $_2{}^0$, 10 and CoI $_2{}^{10}$. MS was used to follow the isomer shift, the induced saturation hyperfine field, and the Neel temperature T_N as a function of pressure. In both cases T_N rose dramatically until at a critical pressure P_c the magnetism disappeared in the non-correlated metallic state (the Mott transition). For NiI $_2$ T_N went from 75 to 310K at P_c = 19 GPa. For CoI $_2$ T_N rose from 11 to 125K near P_c = 13 GPa. The MS of $^{129}\mathrm{I}$ also provides a determination of relative orientation of the principal axes of the electric field gradient and the magnetic field.

Preliminary ¹²⁹I MS with pressure on FeI₂ shows a similar behavior, *i.e.*, T_N rises rapidly with pressure; metallization has not yet occurred at 60 kbar. A room temperature ⁶⁷Fe Mossbauer spectrum in the same sample at P = 60(2) kbar is shown in Fig.3. We were able to obtain ⁶⁷Fe Mossbauer spectra despite a 4-mm total thickness of diamond and severe attenuation of the 14.4-keV γ ray




Figure 3. "Fe Mussbauer spectrum at room temperature of FeI, at a pressure of 60 kbar fit with two symmetric doublets (dashed lines). The inequivalent sites each have about the same isomer shift, but quadrupole splittings differing by a factor of 3.0 (see text).

by the iodine; we credit the 0.5-mm "point source" of \$7Co in Rh together with the inherently high recoil-free fraction of \$7Fe MS. 57Fe absorber MS in DAC is easier than one might believe. The spectrum was fit assuming two sites, each quadrupole split. At this time the origin of the 17 percent site is unclear, but it does seem to be a consequence of the pressurization and not an impurity. \$7Fe MS at other temperatures and pressures should clarify the situation.

ACKNOWLEDGMENT

This work was supported in part by a grant from the LANL Institute of Geophysics and Planetary Physics.

REFERENCES

- * Permanent address: School of Physics and Astronomy, Tel Aviv University, Ramat Aviv 69978, Israel
- 1. N. N. Greenwood and T. C. Gibb, *Hossbauer Spectroscopy* (Chapmon and Hall Ltd., London, 1971)
- 2. A. Jayaraman, Rev. Mod. Phys., 55, 65 (1983)
- 3. M. Pasternak and R. D. Taylor, Hyp. Int., 47, 415 (1989)
- 4. R. D. Taylor and M. P. Pasternak, Hyp. Int., 53, 159 (1990)
- 5. M. P. Pasternak and R. D. Taylor, Hyp. Int., 62, 89 (1990)
- E. Sterer, M. P. Pasternak and R. D. Taylor, Rev. Sci. Inst., 61, 1117 (1990)
- 7. R. D. Taylor, M. P. Pasternak and R. Jeanloz, J. Appl. Phys., 69, 6126 (1931) and references therein.
- 8. N. von Bargen and R. Boehler, High Press. Res., 6, 133 (1990)
- 9. M. P. Pasternak, R. D. Taylor, A. Chen, C. Medde, L. M. Falicov, A. Giesekus, R. Jeanloz and P. Y. Yu, *Phys. Rev. Lett.*, 65, 790 (1990)
- 10.M. P. Pasternak, R. D. Taylor and R. Jeanloz, J. Appl. Phys. to be published.